




Splendid sanitarg ware world


INSTALLATION MANUAL

SHOWER ROOM

LD60-Y22



LD60-Y22
+
LA60-Y10



SSWW


Use Instructions

- ◆ Do not allow a child or handicapped person to enter into the shower room alone;
- ◆ Do not climb the shower room, or hang any heavy objects on the wall of shower room and the handle;
- ◆ Do not rub or knock the shower room with any hard objects in order to avoid any damages;
- ◆ Do not approach the shower tray with a lighted cigarette or let the cigarette ash on the shower tray, in order to avoid a fire or prevent the materials from damage;
- ◆ Attention shall be given to the high-low drop when entering into the shower room in order to avoid from stumbling
- ◆ Do not put your fingers into door cracks when entering into the shower room, in order to avoid from any injuries;
- ◆ It is very easy to slip due to soap-suds on the ground of shower room. Please clean the bathtub after it is used and cautious of slippery;
- ◆ Maintain a good ventilation in the shower room, so as to avoid from becoming mildewed with particular smell due to long-time humidity in the shower room;
- ◆ Clean and wipe it with neutral liquid detergent and soft cloth . Any solvents and cleaning powders including acid and alkali detergents, acetone and ammonia water are prohibited for using;
- ◆ When there are scale deposits on the surface of shower tray, clean it with a wet soft cloth stained with a bit of toothpaste;
- ◆ After the glass sealing adhesive tape falls off, it will leak. Once it falls off, please make up for it immediately;
- ◆ Maintain the shower tray clean, in order to avoid the foreign materials including hair blocking the scupper.


Installation Preparation and Precautions

1. After the case opening, please read the installation instruction carefully and check whether the components and parts are complete according to the packing list, or whether there are any damages incurring in transit. If there are any problems, please contact with the purchaser or distributor as soon as possible.
2. Prior to installation, please prepare following tools: impact drill, electric portable drill, rubber hammer, cross screwdriver, straight screwdriver, wrench, leveling instrument, tape measure, glass glue gun, glass cement, pencil, 6mm silicon bit, 6mm bit, 3.2 bit and hexagonal wrench.
3. After the case is opened, the glass needs erecting and is carried by both persons. Tempered glass is not allowed to be cut again. Pay attention to protect four angles of tempered glass.
4. In order to prevent the glass surface from scratching, please cover the glass surface with soft materials prior to installation.
5. Please put on professional protective glasses. It is necessary to drill holes on the wall surfaces prior to installation. Make sure that there are no wires or water conduit in the wall.
6. In the course of installation, make sure to install the product following the installation Steps as stipulated in the Instructions. If the product is damaged or out of order due to failure to comply with the installation Steps described in the Instructions, the product will be beyond the scope of warranty.
7. In order to make the series product reach its optimum effect, It is recommended that you cooperate with our company in using original accessories provided by our company.

Recommended Installation Tools



Impact drill



Electric portable drill




Rubber hammer



6mm bit



Tape measure



Silicon gun
Glass cement




pencil



6mm Bits of glass




Wrench



Leveling instrument



3.2mm bit



Hexagonal wrench




Cross screwdriver















Straight screwdriver


LD60-Y22 Product structure











LD60-Y22 Product parts list

 <p>aluminum rail X2</p>	 <p>Wall column aluminum X2</p>	 <p>unilateral column aluminum X2</p>	 <p>Spindle X4</p>	 <p>Movable panel X2</p>
 <p>Rail sealing joint strip X2</p>	 <p>magnetic strip X2</p>	 <p>side waterproof rubber strip X2</p>	 <p>bottom waterproof rubber strip X2</p>	 <p>bottom waterproof rubber strip X2</p>
 <p>Aluminum cover cap X2</p>	 <p>Aluminum cap X2</p>	 <p>Handle X2</p>	 <p>Stainless steel round head shelf tapping screw (ST3. 9*35) X16</p>	 <p>Wall colloidal particle X8</p>
 <p>Screw cover X8</p>	 <p>Stainless steel round head shelf tapping screw (ST3. 9*10) X8</p>	 <p>Stainless steel round head shelf tapping screw (ST3. 9*16) X8</p>		

LA60-Y21 Product structure




LD60-Y22 Product parts list

 <p>Fixed panel X1</p>	 <p>Aluminum cover cap X1</p>	 <p>Aluminum cover cap X1</p>	 <p>Small aluminum cap X1</p>
 <p>Sealing joint strip X1</p>	 <p>Small aluminum X1</p>	 <p>Cover aluminum X1</p>	 <p>Stainless steel round head shelf tapping screw (ST3. 9*10) X4</p>
 <p>Stainless steel round head shelf tapping screw (ST3. 9*35) X4</p>	 <p>Wall colloidal particle X4</p>	 <p>Screw cover X4</p>	

Product size

LD60-Y22


LD60-Y22
+
LA60-Y10




Products Size	X		Y		Z	
	MIN	MAX	MIN	MAX	MIN	MAX
700	675	705	686	716	785 885 985	800 900 1000
800	775	805	786	816		
900	875	905	886	916		
1000	975	1005	986	1016		
1100	1075	1105	1086	1116		
1200	1175	1205	1186	1216		

LD60-Y22 Installation Steps






01




02




03




04




05




06




07




08




09




10




11



12





13



OK

NO




LD60-Y10 Installation Steps






01

LD60-Y22



LA60-Y10






02




03




04





05



06



07





Guangdong
Brand Name

SSWW CERAMIC SANITARY WARE MANUFACTURING BASE: FOSHAN JIAJIA SANITARY WARE CO., LTD.

ADD. : Technical Industrial Zone, Lubao Town, Sanshui District, Foshan City, GD, China(528139)

T. +86-757-82568391

F. +86-757-82568390

E. sales@sswwroyalking.com.cn

www.sswwbathroom.com

www.ssww.com.cn

Note:

The company reserves the right to make change on the product appearance and accessories and no further notice is given.
The dimension and color of product are subject to those of the material object.